13714 Alma Ave, Gardena, CA 90249 Tel: 310-532-0353 Fax: 310-532-0372 www.deltagreenonline.com

SAFETY DATA SHEET (SDS) DeltaGreen® Slide

Issue Date: March 9, 2016 OSHA HCS-2012 / GHS

Section 1: Identification

Product Number

DG-22

Product Name

SLIDE

Relevant identified uses of the substance or mixture

Recommended use

Metal Protection

Details of the supplier of the safety data sheet

Manufacturer

DeltaGreen Products 13714 Alma Ave, Gardena, CA 90249

Tel: (310) 532-0353 Fax: (310) 532-0372

E-mail: info@deltagreenonline.com

Emergency telephone number (310) 329-1883

Manufacturer

DELTAGREEN PRODUCTS, INC

Section 2: Hazard Identification

UN GHS

According to: UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Classification of the substance or mixture

UN GHS

Skin Irritation 2 Aspiration 1

Label elements

UN GHS

DANGER





Hazard statements Causes skin irritation May cause eye irritation May be fatal if swallowed and enters airways

DeltaGreen® Slide

Issue Date: March 9, 2016 OSHA HCS-2012 / GHS

Precautionary Statements

Prevention Avoid breathing dust, fume, gas, mist, vapors and/or spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

Response If on skin: Wash with plenty of soap and water.

If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

If swallowed: Immediately call a POISON CENTER or doctor/physician.Do

NOT induce vomiting.

Take off contaminated clothing and wash before reuse.

Storage/Disposal Dispose of content and/or container in accordance with local, regional, national,

and/or international regulations.

Other hazards

UN GHS No data available

Other information



Section 3 - Composition/Information on Ingredients

Substances

Mixtures

Composition			
Chemical Name Identifiers %			
Hydrotreated heavy paraffinic petroleum distillate (highly refined)	CAS:64742-54-7	40% TO 50%	
Mineral Oil	Proprietary	< 5%	
Calcium Sulfonate	Proprietary	<5%	
Hydrotreated light paraffinic petroleum distillate (highly refined)	CAS:64742-55-8	40% TO 50%	

Section 4: First-Aid Measures

Description of first aid measures

Inhalation If inhaled, remove to freshair. If it is suspected that fumes are still present, the

rescuer should wear an appropriate mask or self-contained breathing apparatus. Get

medical attention.

Skin If on skin: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Eye If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Issue Date: March 9, 2016 OSHA HCS-2012 / GHS

Ingestion Do not give anything by mouth to an unconscious person. Do NOT induce vomiting

unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media In case of fire, use water fog, foam, dry chemicals, or carbon dioxide.

Unsuitable Extinguishing

Media

Do not use water jet.

Firefighting Procedures No actions shall be taken involving any personal risk or without suitable training.

Move containers from fire area if this can be done without risk. Use water spray to

keep fire- exposed containers cool. Keep unauthorized personnel away.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion

Hazards

No data available.

Hazardous Combustion

Products

No data available

Advice for firefighters Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Immediately contact emergency personnel. Keep unnecessary personnel away.

Use suitable protective equipment. Follow all fire fighting procedures.

Emergency Procedures As an immediate precautionary measure, isolate spill or leak area in all directions.

Keep unauthorized personnel away.

Environmental precautions

Avoid contact of spilled material with soil and prevent runoff entering

surface waterways.

Methods and material for containment and cleaning up

Containment/Clean-up

Measures

If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7 - Handling and Storage

Precautions for safe handling

Handling Avoid contact with skin and clothing. Avoid contact with eyes. Use only with

adequate ventilation. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Wash thoroughly after handling. Do not use or store near heat or open flame.

Conditions for safe storage, including any incompatibilities

DeltaGreen® Slide

OSHA HCS-2012 / GHS Issue Date: March 9, 2016

Ingestion Do not give anything by mouth to an unconscious person. Do NOT induce vomiting

unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

Most important symptoms and effects, both acute and delayed

No data available

Indication of any immediate medical attention and special treatment needed

No data available

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media In case of fire, use water fog, foam, dry chemicals, or carbon dioxide.

Unsuitable Extinguishing

Media

Do not use water jet.

Firefighting Procedures No actions shall be taken involving any personal risk or without suitable training.

Move containers from fire area if this can be done without risk. Use water spray to

keep fire- exposed containers cool. Keep unauthorized personnel away.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion

Hazards

No data available.

Hazardous Combustion

Products

No data available

Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Immediately contact emergency personnel. Keep unnecessary personnel away.

Use suitable protective equipment. Follow all fire fighting procedures.

Emergency Procedures As an immediate precautionary measure, isolate spill or leak area in all directions.

Keep unauthorized personnel away.

Environmental precautions

Avoid contact of spilled material with soil and prevent runoff entering

surface waterways.

Methods and material for containment and cleaning up

Containment/Clean-up

Measures

If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

Section 7 - Handling and Storage

Precautions for safe handling

Handling Avoid contact with skin and clothing. Avoid contact with eyes. Use only with

adequate ventilation. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable.

Wash thoroughly after handling. Do not use or store near heat or open flame.

Conditions for safe storage, including any incompatibilities

Issue Date: March 9, 2016 OSHA HCS-2012 / GHS

Flash Point	>320 F(160 C) COC (Cleveland Open Cup)	UEL	No Data Available
LEL	No Data Available	Autoignition	No Data Available
Self-Accelerating Decomposition Temperature (SADT)	No Data Available	Heat of Combustion (ΔHc)	No Data Available
Burning Time	No Data Available	Flame Height	No Data Available
Flame Extension	No Data Available	Ignition Distance	No Data Available
Flame Duration	No Data Available	Flammability (solid, gas)	No Data Available
Environmental			
Half-Life	Not relevant	Octanol/Water Partition coefficient	Not relevant
Coefficient of water/oil distribution	Not relevant	Bioaccumulation Factor	Not relevant
Bioconcentration Factor	Not relevant	Biochemical Oxygen Demand BOD/BOD5	Not relevant
Chemical Oxygen Demand	Not relevant	Persistence	Not relevant

Section 10: Stability and Reactivity

Reactivity

 $No \, dangerous \, reaction \, known \, under \, conditions \, of normal \, use.$

Chemical stability

Stable

Possibility of hazardous reactions

Hazardous polymerization not indicated.

Conditions to avoid

Long term heat exposure

Incompatible materials

This product may react with strong oxidizing agents.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide, carbon monoxide.

Section 11 - Toxicological Information

Information on toxicological effects

	Components			
Minera I Oil (< 5%)	Proprietary	Acute Toxicity: Ingestion/Oral-Rat LD50 • >5000 mg/kg; Ingestion/Oral-Rat LDLo • >5 g/kg; Skin-Rabbit LD50 • >2000 mg/kg; Skin-Rabbit LDLo • >5 g/kg; Irritation: Skin-Rabbit • 500 mg • Severe irritation; Mutagen: Mutation in microorganisms • Unreported Route-Salmonella typhimurium • 10 μL/plate (+S9); Tumorigen / Carcinogen: Skin-Mouse • 402 g/kg 78 Week(s)-Intermittent; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Skin and Appendages:Other:Tumors; Tumorigenic:Tumors at site of application; Skin-Mouse • 398 g/kg 22 Week(s)-Intermittent; Tumorigenic:Equivocal tumorigenic agent by RTECS criteria; Skin and Appendages:Other:Tumors; Tumorigenic:Tumors at site of application; Skin-Mouse TDLo • 480 g/kg 80 Week(s)-Intermittent; Tumorigenic:Neoplastic by RTECS criteria; Skin and Appendages:Other:Tumors; Tumorigenic:Tumors at site of application		

Issue Date: March 9, 2016 OSHA HCS-2012 / GHS

GHS Properties	Classification
Acute toxicity	UNGHS•
Aspiration Hazard	UN GHS • Aspiration 1
Carcinogenicity	UN GHS •
Germ Cell Mutagenicity	UNGHS•
Skin corrosion/Irritation	UN GHS • Skin Irritation 2
Skin sensitization	UNGHS•
STOT-RE	UNGHS•
STOT-SE	UNGHS•
Toxicity for Reproduction	UNGHS•
Respiratory sensitization	UNGHS•
Serious eye damage/Irritation	UNGHS•

Route(s) of entry/exposure Potential Health Effects

Inhalation, Skin, Eye, Ingestion/Oral

Inhalation

Acute (Immediate) Not expected to be a hazard for static vapor at ambient temperatures. Inhalation of

mist or spray may be harmful and cause pulmonary edema or aspiration pneumonia.

Oil deposits in the lung may lead to fibrosis and reduced pulmonary function.

Chronic (Delayed) No data available

Skin

Acute (Immediate) May cause skin irritation.

Chronic (Delayed) No data available

Eye

Acute (Immediate) May cause mild irritation.

Chronic (Delayed) No data available

Ingestion

Acute (Immediate) May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chronic (Delayed) No data available

Other information No data available

Section 12 - Ecological Information

Toxicity No data available

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Issue Date: March 9, 2016 OSHA HCS-2012 / GHS

Mobility in Soil No data available.

Other adverse effects

Ecological Fate No data available.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste Avoid contact of spilled material with soil and surface waterways. Consult an

environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, treatment, storage or disposal facilities. Dispose of in

accordance with all applicable local and national regulations.

Packaging waste Dispose of content and/or container in accordance with local, regional, national,

and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
IMO/IMDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user

No data available

Transport in bulk according to Annex II of MARPOL 73/78

No data available

and the IBC Code
Other information

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

	Inventory		
Component	CAS	TSCA	
Mineral Oil	Proprietary	Yes	
Hydrotreated heavy paraffinic petroleum distillate (highly refined)	64742-54-7	Yes	
Hydrotreated light paraffinic petroleum distillate (highly refined)	64742-55-8	Yes	

Issue Date: March 9, 2016 OSHA HCS-2012 / GHS

Other Information

CALIFORNIA PROPOSITION 65: WARNING: This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Section 16 - Other Information

Last Revision Date
Preparation Date
Disclaimer/Statement of
Liability

March 09, 2016

All reasonably practicable steps have been taken to ensure this data sheet and health, safety and environmental information contained in it is accurate. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. Hasco Oil Company shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and any precautions that should be taken. The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.